

# **Declaration of Compliance**For plastic food contact articles – PP Chalk (OM4)



Valid from: 2022-05-09

#### 1. Issued / Manufactured / Imported by

Plus Pack Group Odense (DK) / Genk (BE)

# 2. Identification of the product

#### 2.1. Combination of materials (outside to inside)

Polypropylene (PP) single layer with min. 51% Chalk

#### 2.2. Product reference(s)

Item number	Product Group	Item Name	Customer reference
1509124701	Bistro™	PPCHALK.RECT.910ML.BLACK.2CMP	-

# 3. Compliance with food contact legislation

This item supplied by Plus Pack is intended to come into contact with the indicated foodstuffs and comply with the following EU Commission regulations and directives under the filling/treatment and storage conditions:

- Framework Regulation (EC) 1935/2004. In particular, it is manufactured under good manufacturing practices from materials which are declared suitable for food contact use, and is therefore considered to comply with the general safety requirements (art. 3). We also comply with art. 11(5); the provisions on labelling (art. 15) and traceability (art. 17)
- Our good manufacturing practices meet the requirements of Regulation (EC) 2023/2006 with possible amendments

The item also comply to the below stated legislations:

- Regulation (EC) 10/2011 and possible amendments relating to plastic materials and articles intended to come into contact with foodstuffs.
- Regulation (EC) 1895/2005 on the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with food with possible amendments
- Regulation (EC) 1169/2011 concerning absence of the listed allergens in Appendix II
- Directive 94/62/EC on packaging and packaging waste (heavy metals) with possible amendments
- Directive (EC) 1907/2006 REACH (Registration, Evaluation and Authorization of Chemicals) with possible amendments.

All products are suitable for its intended use and have been tested for possible contamination and hazards (interactions) towards products and consumers. Migration tests have therefor been carried out.

## 4. Overall Migration

This product complies with the overall migration limits, tested under conditions as defined in (EC) 10/2011. Test conditions from a higher OM level are excepted.

Simulant	Test condition	Result (mg/dm²)
10 % ethanol (simulant A)	1h at 100°C + 10 days at 60°C	2,1
3 % acetic acid (simulant B)	1h at 100°C + 10 days at 40°C	1,1
Olive oil (simulant D2)	1h at 100°C + 10 days at 60°C	< 2.0



## 5. Substances with limits and restrictions

According to (EC) 10/2011 art 17(1) and art. 17(2)(a and b) the compliance of this (these) item(s) has (have) been assessed with a surface to volume ratio of 6 dm²/kg or with the actual surface to volume ratio.

All specific migration limits are met

The item does not contain Primary Aromatic Amines according to Annex II of (EC) 10/2011.

FCM	CAS no.	Substance	SML (mg/Kg)
356	0000592-41-6	1-hexene	3
433	0002082-79-3	Irganox 1076	6
500	0007128-64-5	BBOT	0.6
750	0085209-93-4	2,2'-methylene-bis(4,6-di-tert-butylphenyl) lithium phosphate	5

#### 6. Dual use additives

As required by Regulation (EC) 10/2011 the following table identifies substances used subject to a restriction in food through an authorization as food additive that might be present.

Food additive	Substance
-	-

#### 7. Conditions of use

# 7.1. Regarding type or types of food

### Intended for

Aqueous foods	Yes
Acidic foods	Yes
Alcoholic foods	Yes
Fatty foods	Yes
Dry foods	Yes

# 7.2. Regarding time and temperature of treatment and storage of food

High temperature applications up to max 100°C up to 1 hour. Storage above 6 months at room temperature and below.

## 7.3. Any other limitations of use

Use in conventional oven	NO
Use in microwave	Yes
Use for BBQ / Grill	NO
Freezing	YES
Storage after filling	-40°C to + 40°C

# 8. Absence / presence of chemical substances

Based on the information available to us, the following substances are not intentionally used in the raw materials nor added during manufacturing. Therefor our product is not expected to contain:

- Bisphenol A



# 9. Inventory Storage

Between 5 - 25°C and at maximum 70% RH.

## 10. International material recycling symbol



#### **Disclaimer**

The information included in this document is based on the present state of our knowledge and is valid from the stated issue date until this document is superseded. Because of possible changes in the underlying legislation and regulations, as well as possible changes in this Product, we cannot guarantee that the status of this document will remain unchanged. It will be renewed in all cases where the previous conformity is no longer ensured.

The statement is based on documentation from Plus Pack suppliers of raw materials and goods. The declaration is indicative and applies to the product when used during normal and foreseeable conditions consistent with referred temperature-, time- and contact constraints.

Plus Pack will always assist in the choice of packaging, but the packer is ultimately responsible for choosing the right packaging for the product/process. The products must be tested until end of shelf lifetime by correct packaging trials to avoid process problems – product smell, taste or visual deformation of the total end-product. Re-use of the packaging is depending on both production process and product, and subsequently the re-use ability must be evaluated by the packer/producer.

Odense,

**Quality Coordinator** 

Tel: +45 6550 6000

Fax: +45 6550 6040

# **Technical Data Sheet**

2022-04-19

Product group: BISTRO™ WARM

Description: PPCHALK.RECT.910ML.BLACK.2CMP

Item number: 1509124701



# **Product Specifications**

Shape	RECTANGULAR
Compartment	2-COMPARTMENT
Application	FREEZER / MICROWAVE
Closing option	MATCH. LIDS
Volume	910 ml
Capacity/compartment	580 ml / 330 ml
Top out length	254 mm
Top out width	174 mm
Top in length	230 mm
Top in width	153 mm
Base length	223 mm
Base width	147 mm
Height	42 mm

# **Material Specifications**

Material	PPCHALK
Mono-material	NO
Color (in/out)	BLACK / BLACK
Recycled content	min. 30%

# **Temperature**

Inside temp. Min	-40°C
mora comprision	
Inside temp. Max	100°C
molde temp. Max	100 0
Outside temp. Min	-40°C
Outside terrip. Will	<del>-10</del> O
Outside temp. Max	100°C
Outside temp. Max	100 0

# **Packaging Specifications**

Quantity/bag	50 (+/- 2%) 2
Quantity/crt.	300 (+/- 2%) 2
Quantity/pal.	3600 (+/- 2%) 2
EAN-code bag	5701022195495
EAN-code crt.	5701022195501
EAN-code pal.	5701022196690
Weight/1 pc.	33 g (+/- 10%)
Weight/1000 pcs.	33 kg
Weight/crt.	10.6 kg
Weight/pal. (excl. pallet)	127 kg
Volume/crt.	0.13 m3
Size/crt.	59 * 40 * 56 cm
Size/pal. (height)	182 cm
Cartons/pal.	12
Cartons/layer	4
Layers/pal.	3

<sup>&</sup>lt;sup>2</sup> The number of packagings may vary, but the number is equalized by the total order.

# **Matching Item**

1550102001





# Tämän tuotteen maahantuoja on Ki-sal Oy

# toimisto

Keilaranta 10 E

02150 Espoo

020 7413780

info@ki-sal.fi

www.ki-sal.fi

varasto

Vapaalantie 8

01650 Vantaa

040 4551090

logistics@ki-sal.fi