

Correcting factor:

Contact with acid

Contact with alcohol

# **DECLARATION OF COMPLIANCE**

We certify that the following products:	1909DXN30 2010DXN30	
Composed of :	PET Black (polyethylene terephthalate)	
Advised conditions of storage :	Storage with the shelter from the sun and/or heat source and safe from moisture.	
Comply with the current European regulation	regarding :	
- Food contact and more spec	cifically :	
Regulation (EC) No 1938	5/2004 and specific measures mentioned in this regulation 2011 and its amendments (16 <sup>th</sup> Amendment Reg (UE) 2023/1442)	
- Environment issues in the d	esign and production of packaging and more specifically :	
	the respect of the prevention by reduction at source, the limits of heav tion of the dangerous substances energy recovery	
We declare that :		
The material referenced above, under the no	ormal and foreseeable conditions of use is suitable for :	
- Contact with all types of food pro	oducts	
- or only :		
<ul> <li>Contact with dry matter</li> </ul>		
<ul> <li>Contact with moist /liquid pr</li> </ul>	roducts	
<ul> <li>Contact with fat</li> </ul>		



# **DECLARATION OF COMPLIANCE**

# The time and temperature of food contact correspond to the following overall migration test conditions (OM2)

**Simulant** Migration time Result Temperature Acetic acid 3% (B) 10 days 40 °C Conform Ethanol 50% (D1) 10 days 40 °C Conform 40 °C Conform olive oil (D2) 10 days

The 10-day test at 40 ° C covers all storage times at room or refrigerated, frozen temperature, including heating up to 70 ° C maximum for up to 2 hours or heating up to 100 ° C maximum for up to 15 minutes maximum.

The MO2 test, also covers the contact conditions for the MO1 and MO3 tests, described in Chapter 3 of Annex 5 of Regulation No. 10/2011.

### The information relative to the substances for which there are restrictions and/or dual use additives:

On the basis of the declaration of our supplier(s) and according to the productions, above referenced products may contain

• The following substances subject to restriction, specific migration limits (SML):

Ref. N°	CAS N°	Substances	Result	SML
24910	100-21-0	Teraphtalic Acid,	Conform	7,5 mg/kg
19150	121-91-5	Isophtalic Acid	Conform	5 mg/kg
	107-21-1	Ethyleneglycol	Conform	30 mg/kg
	111-46-6	Diethyleneglycol	Conform	30 mg/kg
35760	1309-64-4	Antimony Trioxide	Conform	0,04 mg/kg expressed as antimony

## · Heavy Metals:

	Simulant & Conditions Test	Results
Specific migration of heavy metals	Acetic acid 3% (B) 10j/40°C	Conform

#### • Bisphénol(s)

Substances	N° CAS			
Bisphénol A*	80-05-7	Absence and No intentional addition of bisphenol compounds, based on supplier's declarations and analysis reports*		
Bisphénol S	80-09-01			
Bisphénol F	620-92-8	based on supplier's declarations and analysis reports		
*Analyses are carried out in accordance with Regulation (EC) No 213/2018				

Page : 2/3



# DECLARATION OF COMPLIANCE

The following dual use additives :

N° SIN	CAS N°	Substances
E338	7664-38-2	Phosphoric acid

- No Aromatic amine

### Information about functional barrier properties:

- No functional barrier property.

#### Information on the ratio surface area in contact with the foods / volume used:

Our products are standard packaging intended for all type of food contact for which it is not possible to calculate the real contact surface for all applications.

Consequently, the ratio surface in contact with the food / volume used to determine compliance of the material or object is 6dm² per kg of food.

### This guarantee does not however extend to:

- any subsequent changes in the composition of the product covered by this declaration, resulting from the addition of substances of any kind whatsoever;
- usage that may result in a denatured material;
- inappropriate use of the materials;
- checking for mutual compatibility between the material and the packaged goods, which is the sole responsibility of the user of the packaging, and in particular for non-modification of the organoleptic properties of the packaged goods.

The industrial or commercial use of the products listed in this declaration is subordinated to the checking of their conformity to the standards in force as of their technical conformity compared to the use for which they are intended.

This declaration takes effect starting from the date appearing below for a maximum duration of four years. It cancels any former declaration. It will be modified when substantial changes occur in the manufacture of the products, that may change necessary essential conditions due to conformity, or when the above-mentioned regulations are modified.

Executed in ORNANS, on 02/04/2024

Christen ABOKE QUALITY Manager

Page : 3/3



Vaatimuksenmukaisuustodistus koskee seuraavia Ki-Sal Oy:n maahantuomia ja myymiä tuotteita:

Ki-Sal tuotekoodi Tuotekuvaus ja toimittajan tuotenumero

GE1909DXN30 Leipomoalusta 1909DXN30, musta, 390kpl/ltk

GE2010DXN30 Leipomoalusta 2010DXN30, musta, 390kpl/ltk